



## General information

### Galvanized steel plenum for linear diffuser with round nozzle, insulated



## Specifications

|                     |   |
|---------------------|---|
| Article number      | HBDP 206 D125<br>HBDP 208 D125<br>HBDP 210 D125 |
| Product category    | Air extraction / Air distribution               |
| Material            | Galvanized steel                                |
| Colour              | Material own colour                             |
| Wall Thickness (mm) | 0,8 mm  |
| Weight (kg)         | -   |

## Dimensions

| Article number            | HBDP 206 D 125  | HBDP 208 D 125  | HBDP 210 D 125   |
|---------------------------|-----------------|-----------------|------------------|
| Dimensions (l x w x h mm) | 600 x 125 x 206 | 800 x 125 x 206 | 1000 x 125 x 206 |
| Connection diameter (mm)  | 125             | 125             | 125              |

## Application Insights

|                        |                  |
|------------------------|------------------|
| Application            | Air              |
| Supply / Extract       | Supply / Extract |
| Number of connections  | 1                |
| Temperature range (°C) | -25 / +80        |

## Technical Specifications

---

| Article number                       | HBDP 206 D 125   | HBDP 208 D 125 | HBDP 210 D 125 |
|--------------------------------------|--|----------------|----------------|
| Maximum air flow (m <sup>3</sup> /h) | 144  | 192            | 240            |
| Air tightness class (ACT)            |  | 3              |                |
| R-value 10°C (m <sup>2</sup> K/W)    |  | 0,17           |                |
| Other specifications                 |  | -              |                |
| Pressure loss (Pa)                   | See linear diffuser data sheet (article number HBDG 206, HBDG 208, HBDG 210) |                |                |